




Moulding & Millwork

INTERIOR COLLECTION 2020

MOULDINGMILLWORK.CA

TABLE OF CONTENTS

Interior Doors	3-12
Stocking Door Sizes	13
Swing Options	14
SuperCore™	15
Pre-Hung Interior Single Unit Specifications	16
Quick Ship Shaker French Doors Primed	17
Quick Ship Shaker Panel Doors & Bi-folds Primed	18
Shaker Panel Doors with Applied Beading Primed	19
Shaker Panel 2-Step Primed	20
Shaker Doors & Bi-folds	21-22
Raised Panel Doors & Bi-folds	23-24
1400 Series Flat Panel Ovolo Bead Doors & Bi-folds	25-26
Plantation Louver Doors & Bi-folds Primed	27
High Definition Shaker Doors	28
Barn Doors, Track Hardware & Accessories	29-36
Contemporary Doors Primed & Fir	37
French Door Collection Decorative	40
French Doors Wood Bar	50
French Doors Size Specification	52
Weiser Locks	53
Technical Information	54





INTERIOR DOORS

We carry the largest in-stock selection of interior doors (slab and prehung) on Cape Breton Island. With almost a dozen styles to choose from and an infinite number of hinge finish options, we're sure to have right door; on time and under budget! Our doors feature solid wood stile and rail construction and are hung right here on our Island.

ABERDEEN

Aberdeen offers a distinct design that provides the chic ambience of Craftsman stile and rail construction, in a moulded door. For homeowners who seek an avant-garde door without the added cost, consider Aberdeen.



IN STOCK NOW:

14"	16"	18"	20"	22"	24"	26"	28"	30"	32"	34"	36"
		●			●		●	●	●		●



CAMBRIDGE

Bold with clean lines, this smooth surfaced, moulded interior door screams classical grace while maintaining a certain modern edge. Ideal for most home construction types and styles.



IN STOCK NOW:

14"	16"	18"	20"	22"	24"	26"	28"	30"	32"	34"	36"
•		•		•	◆		◆	◆	◆	•	◆



COLONIST

With its textured wood grain finish, the Colonist textured offers a perfect blend of functionality and charm.



IN STOCK NOW:

14"	16"	18"	20"	22"	24"	26"	28"	30"	32"	34"	36"
●	●	●	●	●	◆	●	◆	◆	◆	●	◆



CONMORE

An authentic moulded, flat 5 panel door will create lasting elegance in any space. Pair with wainscoting for an authentic look, making it feel at home in a craftsman home.



IN STOCK NOW:

14"	16"	18"	20"	22"	24"	26"	28"	30"	32"	34"	36"
	●	●	●		●		●	●	●	●	●



CONTINENTAL

With its fun, arch-top pattern, simple design and clean lines, the smooth-surfaced Continental adds a bright yet warm presence to your home.



IN STOCK NOW:

14"	16"	18"	20"	22"	24"	26"	28"	30"	32"	34"	36"
		●			◆	●	◆	◆	◆	●	◆



CRAFTSMAN

One of our most popular doors, the Craftsman is the ultimate door for those seeking to have it all: clean lines, classic architecture and a design that makes this door the understated focus of any room.



IN STOCK NOW:

14"	16"	18"	20"	22"	24"	26"	28"	30"	32"	34"	36"
●		●			●		●	●	●	●	●



MADISON

The Madison is a classic design with clean lines that will complement any architectural style. Equally comfortable in traditional or contemporary settings, this design is sure to accentuate any interior décor.



IN STOCK NOW:

14"	16"	18"	20"	22"	24"	26"	28"	30"	32"	34"	36"
		●			●		●	●	●		●



MONROE

Monroe lets you add the sleek, contemporary feel homeowners are looking for without the added cost.



IN STOCK NOW:

14"	16"	18"	20"	22"	24"	26"	28"	30"	32"	34"	36"
		●			●		●	●	●		●



SANTA FE

Designed and built with a southwestern flavour, the Santa Fe is a moulded interior door with a smooth surface that does well in most modern homes.



IN STOCK NOW:

14"	16"	18"	20"	22"	24"	26"	28"	30"	32"	34"	36"
		●			●		●	●	●	●	●



FLAT PANEL



ABERDEEN



CRAFTSMAN



CONMORE



MADISON



MONROE

STOCKING DOOR SIZES



	14"	16"	18"	20"	22"	24"	26"	28"	30"	32"	34"	36"
ABERDEEN			●			●		●	●	●		●
CAMBRIDGE	●		●		●	◆		◆	◆	◆	●	◆
COLONIST	●	●	●	●	●	◆	●	◆	◆	◆	●	◆
COLONIST BIFOLD			●			●		●	●	●	●	●
CONMORE		●	●	●		●		●	●	●	●	●
CONTINENTAL			●			◆	●	◆	◆	◆	●	◆
CRAFTSMAN	●		●			●		●	●	●	●	●
MADISON			●			●		●	●	●		●
MONROE			●			●		●	●	●		●
SANTA FE			●			●		●	●	●	●	●

PLEASE NOTE:

- All doors are available prehung, including double doors

All doors are 80" in height

GUARANTEED IN STOCK OR READY IN 24 TO 72 HOURS!

RAISED PANEL



COLONIST
Textured



CAMBRIDGE
Smooth




CONTINENTAL
Smooth



SANTA FE
Smooth

All doors are available with a variety of hinge finishes to choose from:

- Brass
- Satin Nickel
- Antique Nickel
- Oil Rubbed Bronze
- Flat Black
- Polished Chrome
- Antique Copper



LEFT HAND DOOR

- Hinges located on the left
- Lever pointed left, to hinges
- Pair with left handed levers

RIGHT HAND DOOR

- Hinges located on the right
- Lever pointed right, to hinges
- Pair with right handed levers

SUPERCORE™






Select Colonist 6 Panel, Roman and Carrara now feature our industry leading SuperCore™.

SuperCore™ features solid wood stile and rail construction, solid wood lock-block, edge to edge honeycomb interior, and full 1-1/8” rails. There’s no skimping on this door! Superiorly constructed for durability and ease of installation.



	OUR SUPERCORE™	Home Depot, Kent, Rona, Home Hardware, Castle
Honeycomb Edge to Edge	YES	No
Wood Lock Block	YES	No
Wood Stile & Rail	YES	No
Minimum 1-1/8” Stile & Rail	YES	No
Prehung Locally	YES	No
Industry Leading Warranty	YES	No
Prehung in Solid Wood Jamb	YES	No (Home Depot), others vary

DOOR STOP OPTIONS

Customers can choose either colonial stop or plain (craftsman) stop on their pre-hung doors. Choosing a plain or flat stop when going modern or with more linear moulding profiles will keep the look more consistent with the rest of your interior design.



EXAMPLE 6'8" HEIGHT INTERIOR SINGLE UNIT ELEVATION



SHAKER PANEL AND SHAKER FRENCH DOORS | Primed

Solid Wood Stile & Rail

Shaker Panel Doors

Sizes : 1/4, 1/6, 1/8, 1/10, 2/0, 2/2, 2/4, 2/6, 2/8, 2/10, & 3/0

6/8
1-3/8"



8401



8402



8403†



8433



8444



8405

†: #8403 door in sizes 1/4 to 1/10 will have two panels, not three.

Shaker French Doors: Diffused White Laminate (DWL)

Sizes: 2/0, 2/2, 2/4, 2/6, 2/8, 2/10, & 3/0

6/8
1-3/8"



8401




8433



8444



8405



Laminated Safety Glass
PRIVACY 10

Shaker French Doors: Clear

Sizes: 2/0, 2/2, 2/4, 2/6, 2/8, 2/10, & 3/0

6/8
1-3/8"



8401



8433



8444



8405



Tempered Safety Glass
PRIVACY 1

Shaker Bi-Folds (includes track & hardware)

Sizes: 2/0, 2/6, & 3/0

6/7
1-3/8"



8401BF



8402BF



8403BF



8433BF



8444BF



8405BF

Shaker Panel Doors

Sizes: 1/6, 1/8, 1/10, 2/0, 2/2, 2/4, 2/6, 2/8, 2/10, & 3/0

6/8
1-3/4"



8401



8402



8433



8444



8405

7/0
1-3/4"



8401



8402



8433



8444



8405

7/6
1-3/4"



8401



8402



8433



8444



8405

8/0
1-3/4"



8401



8402



8433




8444




8405

SHAKER PANEL DOORS WITH APPLIED BEADING | Primed


Now you can create a different architectural look with any of our "Quick Ship" door styles in either 1-3/8" or 1-3/4". Customize your look by adding one of the following beading profiles:




Optional
bevel bead



Optional
square bead



Optional
quirk bead



Optional
ovolo bead

Note: Custom applied bead will add additional time for processing. Drawings are not exactly to scale.

SPECIFICATIONS

DIMENSIONS:

Thickness: 1-3/8" & 1-3/4"

Doors: 1/4", 1/6", 1/8", 1/10", 2/0,
2/2, 2/4, 2/6, 2/8, 2/10, & 3/0

Bi-folds: 2/0", 2/6", & 3/0"

Height: 6/8, 7/0, 7/6, & 8/0

Panels: 1/2" Flat Panel (1-3/8" door)
3/4" Flat Panel (1-3/4" door)

Door stiles: 4-7/16"

Bi-fold stiles: 2"


Top rail: 4-5/16"

Cross rails: 4-3/8"

Lock rail: 7-3/8"

Door bottom rail: 9-3/16"

Bi-fold bottom rail: 7-15/16"



† The panel layout on #8403 will change in the door and bi-fold sizes indicated.




Fire-Rated doors also available.

Complete dimensional specifications are available from your dealer.

SHAKER PANEL 2-STEP | **Primed**

The newest addition to our product line, our 2-Step Flat Bead profile offers a unique take on a one panel shaker door.



Optional
2 Step bead (#8491)



Our 1-9/16" flat bead steps down from the shaker style door, giving the profile depth and dramatic shadow lines while still maintaining its charm.

SHAKER DOORS & BI-FOLDS




Our Shaker program also includes a wide selection of stain grade options and panel layouts.


Available options in 1-3/8" and 1-3/4" thicknesses, 6/8, 7/0, 7/6 and 8/0 heights.

Custom sizes and other species are also available.


Shaker Panel Doors




8401




8402




8403†



8433



8444



8405


Shaker Bi-Folds (includes track & hardware)




8401BF




8402BF




8403BF



8433BF




8444BF



8405BF

Specifications



Dimensions

Thickness: 1-3/8" & 1-3/4"

Doors: 1/4[†], 1/6[†], 1/8[†], 1/10[†], 2/0,
2/2, 2/4, 2/6, 2/8, 2/10, & 3/0

Bi-folds: 2/0[†], 2/6[†], & 3/0[†]

Height: 6/8, 7/0, 7/6, & 8/0

Panels: Flat (Thickness may vary)

Door stiles: 4-7/16"

Bi-fold stiles: 2"

Top rail: 4-5/16"

Cross rails: 4-3/8"

Lock rail: 7-3/8"

Door bottom rail: 9-3/16"

Bi-fold bottom rail: 7-15/16"

Select veneers with matching solid wood edge strips.

†: #8403 door in sizes 1/4 to 1/10 will have two panels, not three

Species



Premium Primed



Vertical Grain Pine



Red Oak



Maple




Yellow Poplar



Knotty Pine



Vertical Grain Fir



Knotty Alder

Note: Complete dimensional specifications are available.


RAISED PANEL DOORS & BI-FOLDS




Our Double Hip Raised Panel doors are a timeless look, available in a variety of panel layouts and wood species. Available options include 1-3/8 and 1-3/4 door thickness, 6/8, 7/0, 7/6 and 8/0 heights.

Custom sizes also available.


Raised Panel Doors



Raised Panel Bi-Folds (includes track & hardware)



Specifications



Dimensions

DO NOT INCLUDE 3/8" OVOLO STICKING

Thickness: 1-3/8" & 1-3/4"

Doors: 1/4[†], 1/6[†], 1/8[†], 1/10[†], 2/0,
2/2, 2/4, 2/6, 2/8, 2/10, & 3/0

Bi-folds: 2/0[†], 2/6[†], & 3/0[†]

Height: 6/8, 7/0, 7/6, & 8/0

Panels: 3/4" Double Hip Raised

Door stiles: 4-1/16"

Bi-fold stiles: 1-5/8"

Top rail: 3-15/16"

Cross rails: 3-5/8"

Lock rail: 6-5/8"

Door bottom rail: 8-13/16"

Bi-fold bottom rail: 7-9/16"

Select veneers with matching
solid wood edge strips.

†: #OV44 door in sizes 1/4 to 1/10
will have two panels, not four


Species



Premium Primed



Vertical Grain Pine



Red Oak



Maple




Yellow Poplar



Knotty Pine



Vertical Grain Fir



Knotty Alder

1400 SERIES FLAT PANEL OVOLO BEAD DOORS & BI-FOLDS




We added a decorative Ovolo Bead to our Flat Panel Doors to create our 1400 Series. This bead is manufactured with precision, no nail holes, and consistent reveals at every edge.

Available in a variety of panel layouts and wood species.


Available options include 1-3/8" and 1-3/4" door thickness, 6/8, 7/0, 7/6 and 8/0 heights in all standard widths.

Custom sizes also available.


Flat Panel Ovolo Bead Doors




1401




1402




1403†



1433



1404



1405


Flat Panel Ovolo Bead Bi-Folds (includes track & hardware)




1401BF




1402BF




1403BF



1433BF




1404BF



1405BF

Specifications



Dimensions

DO NOT INCLUDE 3/8" OVOLO STICKING

Thickness: 1-3/8" & 1-3/4"

Doors: 1/4†, 1/6†, 1/8†, 1/10†, 2/0, 2/2, 2/4, 2/6, 2/8, 2/10, & 3/0

Bi-folds: 2/0†, 2/6†, & 3/0†

Height: 6/8, 7/0, 7/6, & 8/0

Panels: Flat (Thickness may vary)

Door stiles: 4-1/16"

Bi-fold stiles: 1-5/8"

Top rail: 3-15/16"

Cross rails: 3-5/8"

Lock rail: 6-5/8"

Door bottom rail: 8-13/16"

Bi-fold bottom rail: 7-9/16"

Select veneers with matching solid wood edge strips.

†: #1403 door in sizes 1/4 to 1/10 will have two panels, not three

Species



Premium Primed



Vertical Grain Pine



Red Oak



Maple




Yellow Poplar



Knotty Pine



Vertical Grain Fir



Knotty Alder



Dimensions

Thickness: 1-3/8" only

Doors: 2/0, 2/2, 2/4, 2/6, 2/8, 2/10 & 3/0

Bi-folds: 2/0, 2/6 & 3/0

Height: 6/8" only

Door stiles: 4-1/2"

Bi-fold stiles: 2"

Top rail: 4-7/16"

Lock rail: 7"

Door bottom rail: 8-13/16"

Bifold bottom rail: 7-9/16"

Louver Door

6/8
1-3/8"



8730

Louver Bi-Folds (includes track & hardware)

6/7
1-3/8"




8730BF


Note: Not available in custom sizes.




8401HD




8402HD



8403HD



8433HD




8444HD



8405HD

Specifications



Dimensions

Thickness: 1-3/8" & 1-3/4"

Doors: 1/4†, 1/6†, 1/8†, 1/10†, 2/0, 2/2, 2/4, 2/6, 2/8, 2/10, & 3/0

Height: 6/8, 7/0, 7/6, & 8/0

Panels: 1-1/4"

Door stiles: 4-7/16"

Top rail: 4-5/16"

Cross rails: 4-3/8"

Lock rail: 7-3/8"

Door bottom rail: 9-3/16"

†: #8403HD door in sizes 1/4 to 1/10 will have two panels, not three

BARN DOOR, TRACK HARDWARE & ACCESSORIES

We now offer authentic looking barn doors in Primed, Knotty Alder and Douglas Fir. Oversized to fit a variety of openings, you can create a focal point in any room.

“Z-Style” Barn Doors



QUICK SHIP* SIZES

Size	Knotty Adler	VG Fir	Primed
3/0 x 7/0 x 1-3/8"	✓	✓	✓
3/6 x 7/0 x 1-3/8"	✓	✓	✓
4/0 x 7/0 x 1-3/8"	✓	✓	✓
3/6 x 8/0 x 1-3/8"	✓	✓	✓
4/0 x 8/0 x 1-3/8"	✓	✓	✓

- Diagonal brace on both sides
- Pre-routed groove in bottom rail for T-Guide

*Quick Ship: We make every effort to ensure all items are in stock. However, we do not guarantee stock.

Barn Door Species Options



Knotty Alder



VG Fir



Primed

BARN DOOR HARDWARE (SOLD SEPERATELY)

Track Hardware Options

- Quick ship sizes: 84" or 96"
- Matte Black or Brushed Stainless Steel Options
- Track rated up to 220 pounds
- Ability to connect tracks for double doors
- 3-year warranty



Matte Black



Brushed Stainless Steel

Bypass Barn Door Hardware Kit

- Bypass Bracket hardware is for use with two barn door track kits/doors to make a Bypass system
- 84" + 96" track require 5 or 6 bypass brackets and mounting hardware respectively.
- Matte Black or Brush Stainless Steel options



Accessories: Pulls / Handle / Soft Close Kit (not shown)

RECTANGULAR FLUSH PULLS



Matte Black
6 1/2"

Brushed Stainless Steel
6 1/2"

HANDLES




Matte Black
6 1/2"

Brushed Stainless Steel
6 1/2"

RUSTIC SINGLE WOODEN-DOOR HARDWARE SETS

For sliding doors



**Max. capacity per door**
33 to 220 lb
(15 to 100 kg)

**Door thickness**
1 3/8" - 1 3/4"
(35 mm - 45 mm)

**Door width**
24" - 60"
(61 cm - 152 cm)

**Door installation**
In front of wall

24600790 Wood-door double-roller hardware set / Black


- INCLUDES:**
- 2 roller units
 - 2 end bumpers
 - 2 anti-derailer units
 - 1 floor-level guide for wood door



REQUIRED PRODUCT:
Black Rail (sold separately):

78 3/4" (2m)	98 3/8" (2.5m)	9'-10" (3m)
24600190	24600290	24600390

Screws included



**Max. capacity per door**
33 to 220 lb
(15 to 100 kg)

**Door thickness**
1 3/8" - 1 3/4"
(35 mm - 45 mm)

**Door width**
24" - 60"
(61 cm - 152 cm)

**Door installation**
In front of wall

24600890 Wood-door single-roller hardware set / Black

- INCLUDES:**
- 2 roller units
 - 2 end bumpers
 - 2 anti-derailer units
 - 1 floor-level guide for wood door



REQUIRED PRODUCT:
Black Rail (sold separately):

78 3/4" (2m)	98 3/8" (2.5m)	9'-10" (3m)
24600190	24600290	24600390

Screws included

The ZENITUDE



Max. capacity per door
33 to 220 lb
(15 to 100 kg)



Door thickness
1 3/8" - 1 3/4"
(35 mm - 45 mm)



Door width
24" - 60"
(61 cm - 152 cm)



Door installation
In front of wall

246016170 Wood-door single-roller hardware set / Stainless Steel

INCLUDES:

- 2 roller units
- 2 end bumpers
- 2 anti-derailer units
- 1 floor-level guide for wood door



REQUIRED PRODUCT:

Stainless Steel Rail (sold separately):

78 3/4" (2m) 98 3/8" (2.5m) 9'-10" (3m)

246011170 246012170 246003170



Max. capacity per door
33 to 220 lb
(15 to 100 kg)



Door thickness
1 3/8" - 1 3/4"
(35 mm - 45 mm)



Door width
24" - 40"
(61 cm - 102 cm)



Door installation
In front of wall

246016BORB Complete wood-door single-roller hardware set / Brushed Oil-rubbed Bronze

INCLUDES:

- 2 x 39 3/8" (1 m) rails
- 2 roller units
- 2 end-bumpers
- 4 wall-mount brackets
- 2 anti-derailment devices
- 1 connector plate
- 1 floor-level door guide



See pages 9 to 11 for a complete listing of rustic pulls and accessories.

The FERRIS WHEEL



Max. capacity per door
33 to 220 lb
(15 to 100 kg)



Door thickness
1 3/8" - 1 3/4"
(35 mm - 45 mm)



Door width
24" - 60"
(61 cm - 152 cm)



Door installation
In front of wall

24602090 Wood-door single-roller hardware set / Black

INCLUDES:

- 2 roller units
- 2 end bumpers
- 2 anti-derailer units
- 1 floor-level guide for wood door
- 8 spacers (for installation between the wall and the rail brackets)



REQUIRED PRODUCT:

Black Rail (sold separately):

78 3/4" (2m) 98 3/8" (2.5m) 9'-10" (3m)

24600190 24600290 24600390

See pages 9 to 11 for a complete listing of rustic pulls and accessories.

The RUSTIC



Max. capacity per door
33 to 220 lb
(15 to 100 kg)



Door thickness
1 3/8" - 1 3/4"
(35 mm - 45 mm)



Door width
24" - 60"
(61 cm - 152 cm)



Door installation
In front of wall

24600590 Wood-door single-roller hardware set / Black

INCLUDES:

- 2 roller units
- 2 end bumpers
- 2 anti-derailer units
- 1 floor-level guide for wood door



REQUIRED PRODUCT:
Black Rail (sold separately):

78 3/4" (2m)	98 3/8" (2.5m)	9'-10" (3m)
24600190	24600290	24600390



Max. capacity per door
33 to 220 lb
(15 to 100 kg)



Door thickness
1 3/8" - 1 3/4"
(35 mm - 45 mm)



Door width
24" - 40"
(61 cm - 102 cm)




Door installation
In front of wall

2460302MATPVC Complete wood-door single-roller hardware set / Matte Black

INCLUDES:

- 1 x 78 3/4" (2 m) rail
- 2 roller units
- 2 end-bumpers
- 5 wall-mount brackets
- 2 anti-derailment pieces
- 1 floor guide for wood door



See pages 9 to 11 for a complete listing of rustic pulls and accessories

ACCESSORIES

For sliding doors

Flat Rails

Each rail is pre-drilled at each end and ready for soft-close unit installation or interconnection with another rail via rail connector (sold separately).

Wall-mount brackets and screws included.

	Black	Stainless Steel
A 78 3/4" (2 m) rail	24600190	246011170
B 98 3/8" (2.5 m) rail	24600290	246012170
C 9'-10" (3 m) rail	24600390	246003170


The 9'-10" (3 m) rail comes in 2 x 59" (1.5 m) rails joined by a rail connector.



Rail Connectors

Allows you to join two flat rails end-to-end to use multiple rollers on a single run.

Black	Stainless Steel
246204500226	2462045005170




Wall Mount Brackets

Used for installing two sets of rollers for bypass doors.

SYSTEM INCLUDES:

- 1 wall-mount bracket
- 2 bracket screws to attach the bracket to the wall
- 1 screw to attach the rail to the bracket

Black	Stainless Steel
246204500790	2462045007170



Soft-close Mechanisms

Hidden behind the rail, the damper unit slows the doors bringing them to a soft stop in their final position with no bounce-back effect.

Weight capacity: 176 lb (80 kg)

SYSTEM INCLUDES:

- 1 soft-close mechanism
- 1 system trigger
- 1 Allen key

Black	Stainless Steel
24600490	246014170



Door Guides

A groove should be made at the bottom of the wood door.

No.	Mounting	Material
A 2462041014BL	Floor-mounted, adjustable	Black plastic
B 2462041004170	Floor-mounted	Stainless steel
C 246204101122	Side-mounted, adjustable	White plastic
D 246204110092	Side-mounted, adjustable	Stainless steel
E 246204110192	Side-mounted, adjustable	Stainless steel



DECORATIVE PULLS

For sliding doors


Rustic black pulls



Ref.	No.	C.C.	Overall Dimensions (L x D)
A	BP9469220900	220 mm	9 1/4" x 3 11/32" (235 x 85 mm)
B	BP9463280900	280 mm	17 7/32" x 3 5/32" (437 x 80 mm)
	BP9547384900	384 mm	16 13/16" x 2 17/32" (427 x 64 mm)
C	BP9547224900	224 mm	10 1/2" x 2 17/32" (267 x 64 mm)
	BP9547160900	160 mm	8" x 2 17/32" (203 x 64 mm)
	BP9465305900	305 mm	13 1/8" x 2" (333 x 51 mm)
D	BP9465205900	205 mm	8 29/32" x 1 7/8" (226 x 48 mm)
	BP9465150900	150 mm	6 11/16" x 1 13/16" (170 x 46 mm)
	BP9466320900	320 mm	13 7/32" x 1 21/32" (336 x 42 mm)
E	BP9466192900	192 mm	8 3/16" x 1 21/32" (208 x 42 mm)
	BP9466128900	128 mm	5 23/32" x 1 21/32" (145 x 42 mm)
	BP9464305900	305 mm	13 3/8" x 1 3/8" (340 x 35 mm)
F	BP9464128900	128 mm	6 1/4" x 1 5/32" (159 x 29 mm)
G	BP9468207900	207 mm	10 1/32" x 2 5/16" (255 x 59 mm)
H	BP9462162900	162 mm	7 3/4" x 1 1/2" (197 x 38 mm)
I	BP95495900	98 mm	5" x 2 15/32" (127 x 63 mm)
J	BP954880900	N/A	Ø 3 5/32" (80 mm)



Contemporary pulls and knobs



Ref. No.	C.C.	Overall Dimensions (L x D)	Finish
246207020090			Black
2462070200170			Stainless steel
A	2462070200BORB	300 mm	14" x 1 1/2" (356 x 39.5 mm)
2462070200160			Brushed oil-rubbed bronze
2462070200177			Satin brass
2462070200177			Brushed steel
246207020290			Black
2462070202170			Stainless steel
B	2462070202BORB	300 mm	14" x 1 1/2" (356 x 39.5 mm)
2462070202160			Brushed oil-rubbed bronze
2462070202177			Satin brass
2462070202177			Brushed steel
246207020190			Black
2462070201170			Stainless steel
C	2462070201BORB	300 mm	14" x 1 1/2" (356 x 39.5 mm)
2462070201160			Brushed oil-rubbed bronze
2462070201177			Satin brass
2462070201177			Brushed steel
D	24620700270090	300 mm	19 11/16" x 2 1/4" (500 x 56.5 mm)
246207002792170			Black
E	24620700910090	300 mm	19 11/16" x 2 1/4" (500 x 56.5 mm)
246207009192170			Black
24620710230090			Stainless steel
F	246207102392170	N/A	Ø 2" x 3/8" (50 mm x 10 mm)
			Black
			Stainless steel



RUSTIC DECORATIVE ACCESSORIES

For sliding doors


False hinges, decorative brackets and nails



False hinges	Overall dimensions (L x W)
A BP9546114900	4 1/2" x 7/8" (114 x 22 mm)
B BP9543206900	8 1/8" x 1 5/16" (206 x 33 mm)



Decorative brackets	Overall dimensions (L x W)
BP9544195900	7 11/16" x 7/8" (195 x 22 mm)
A BP9544125900	4 7/8" x 7/8" (125 x 22 mm)
BP954490900	3 1/2" x 13/16" (90 x 21 mm)
B BP9541118900	4 11/16" x 4" (118 x 100 mm)
C BP954278900	3" x 3 1/16" (77 x 78 mm)



Decorative nails	Overall dimensions (L x W)
BP945440900	Ø 1 9/16" (40 mm)
A BP945425900	Ø 1" (25 mm)
BP945415900	Ø 9/16" (15 mm)
BP945640900	1 9/16" (40 mm)
B BP945625900	1" (25 mm)
BP945620900	3/4" (20 mm)






8955 with DWL shown



8400 Shaker Series (Shown as 6/8)





Available options include 1-3/8" and 1-3/4" door thickness in 6/8, 7/0, 7/6 and 8/0.

Flat recessed panels are standard or with 8 different glass options. Glass options shown on Page 20.

Custom sizes also available.

8900 Shaker Series (Shown as 6/8)





8488 with VG Fir Panels shown


Glass Options



Clear
PRIVACY 1



Seedy Baroque
PRIVACY 3




Roof Top
PRIVACY 8




Pinhead
PRIVACY 9



Sable
PRIVACY 9



Screen Dot
PRIVACY 8



Rain
PRIVACY 9



Diffused White Laminate
(DWL) PRIVACY 10

FRENCH DOORS | Adelaide



Shown in Red Oak



- Sable Bevels
- Clear Bevels
- 3/8" Caming
- Sable Bevel

Available in Patina only
PRIVACY 8

* Not shown




6/8



7/0



7/6* or 8/0



- Narrow Reed
- Granite
- 3/16" Caming
- 3/8" Caming
- Sandblast
- Clear Bevels

Available in Patina only
PRIVACY 8

* Not shown



6/8




7/0




7/6* or 8/0

FRENCH DOORS | Lexington




Available in Patina only
PRIVACY 5

* Not shown





Shown in Fir





Available in Patina and Zinc
(Shown in Zinc)

PRIVACY 7

* Not shown






- Granite
- Clear Bevels
- 3/16" Caming
- Luminating Reed

Available in Patina only
PRIVACY 7

* Not shown





PRIVACY 8

‡ "Laminated" Safety glass
* Not shown



6/8



7/0




7/6* or 8/0

FRENCH DOORS | Bevel




Available in Patina and Zinc
(shown in Patina)

PRIVACY 1



Clear Bevels

3/16" Coming




FRENCH DOORS | Glue Chip



Shown in Pine


Available in Patina and Zinc
(Shown in Zinc)

PRIVACY 9



Glue Chip


3/16" Coming



* Not shown



Narrow Reed †
PRIVACY 8



Clear †
Option: Bevel
PRIVACY 1



Kasumi †
PRIVACY 8




Riverton Obscure †
PRIVACY 8



Pantry †
PRIVACY 8



Laundry †
PRIVACY 8



Diffused White
Laminate †
PRIVACY 10



Mirror 1-side*
Option: Mirror 2-sided
PRIVACY 10


† Tempered Safety Glass
‡ Laminated Safety Glass

Note: Also available in 7/0, 7/6* & 8/0*
*Available in full lite (no bottom panel)

FRENCH DOORS



Sable †*
PRIVACY 9



Screen Dot †*
PRIVACY 8



Pinhead †*
PRIVACY 9



Riverton Clear †
PRIVACY 1



Delta Frost †*
PRIVACY 9



Rain™ †*
PRIVACY 9



Madison Cast †
PRIVACY 8



Seedy Baroque †
PRIVACY 3

† Tempered Safety Glass

Note: Also available in 7/0, 7/6* & 8/0*
*Available in full lite (no bottom panel)



Leaf (Small) †*
PRIVACY 5




Leaf (Large) †*
PRIVACY 7




Roof Top †*
PRIVACY 8



Wheat †
PRIVACY 7



Quattro †*
PRIVACY 7



Heavy Water †*
PRIVACY 3

† Tempered Safety Glass


Note: Also available in 7/0, 7/6* & 8/0*
*Available in full lite (no bottom panel)

FRENCH DOORS | Wood Bar


6/8 1-3/8" Available in Prime only
Sizes : 1/6, 2/0, 2/2, 2/4, 2/6, 2/8, 2/10, & 3/0



1305
1/6




1310
2/0 & 2/2




1315
2/4 & 3/0

8/0 1-3/8" Available in Prime only
Sizes : 2/0, 2/2, 2/4, 2/6, 2/8, 2/10, & 3/0




1312
2/0 & 2/2



1318
2/4 & 3/0

Mullion Detail



TDL Ovolo Bead

Glass Options




Bevel or Flat Clear
PRIVACY 1




Mullion Details

Options: (Available in Prime only)




TDL Ovolo Bead




TDL Shaker Bead


Lite Options




1304




1305




1306



1309*



1310



1315

Glass Options




Bevel or Flat Clear
PRIVACY 1



Satin Etch
PRIVACY 8




Pinhead
PRIVACY 8



Roof Top
PRIVACY 8



Sable
PRIVACY 9



Seedy Baroque
PRIVACY 3

FRENCH DOORS | Size Specifications

Please refer to the following guide to confirm what sizes are available in our different product choices.

DESCRIPTIONS	DOOR WIDTHS								DOOR HEIGHTS			
	1/6	2/0	2/2	2/4	2/6	2/8	2/10	3/0	6/8	7/0	7/6 & 8/0 Bottom Panel	7/6 & 8/0 Full Lite
Adelaide (P)*	N/A	•	•	•	•	•	•	•	•	•	•	N/A
Artisan (P)*	N/A	•	•	•	•	•	•	•	•	•	•	N/A
Harlow (P)*	N/A	•	•	•	•	•	•	•	•	•	•	N/A
Modena (P,Z)*	N/A	•	•	•	•	•	•	•	•	•	•	N/A
Lexington (P)*	N/A	•	•	•	•	•	•	•	•	•	•	N/A
White Silk	•	•	•	•	•	•	•	•	•	•	•	N/A
Bevel (P, Z)*	N/A	•	•	•	•	•	•	•	•	•	•	N/A
Glue Chip (P, Z)*	N/A	•	•	•	•	•	•	•	•	•	•	N/A
Wood Bar Bevel	•	•	•	•	•	•	•	•	•	•	N/A	N/A
Wood Bar Flat Glass	•	•	•	•	•	•	•	•	•	•	N/A	N/A
Clear	•	•	•	•	•	•	•	•	•	•	•	•
Diffused White Laminate	•	•	•	•	•	•	•	•	•	•	•	•
Madison	N/A	•	•	•	•	•	•	•	•	•	•	N/A
Mirror	•	•	•	•	•	•	•	•	•	•	•	•
Pantry	N/A	•	•	•	•	•	•	•	•	•	•	N/A
Narrow Reed	•	•	•	•	•	•	•	•	•	•	•	•
Rain	•	•	•	•	•	•	•	•	•	•	•	•
Riverton Clear	N/A	•	•	•	•	•	•	•	•	•	•	N/A
Riverton Obscure	N/A	•	•	•	•	•	•	•	•	•	•	N/A
Sable	•	•	•	•	•	•	•	•	•	•	•	•
Wheat	N/A	•	•	•	•	•	•	•	•	•	•	N/A
Delta Frost	•	•	•	•	•	•	•	•	•	•	•	•
Kasumi	•	•	•	•	•	•	•	•	•	•	•	N/A
Heavy Water	•	•	•	•	•	•	•	•	•	•	•	•
Laundry	N/A	N/A	N/A	N/A	•	•	•	•	•	•	•	N/A
Leaf-Small	•	•	•	•	•	•	•	•	•	•	•	•
Leaf-Large	•	•	•	•	•	•	•	•	•	•	•	•
Pinhead	•	•	•	•	•	•	•	•	•	•	•	•
Quattro	•	•	•	•	•	•	•	•	•	•	•	•
Roof Top	•	•	•	•	•	•	•	•	•	•	•	•
Screen Dot	•	•	•	•	•	•	•	•	•	•	•	•
Seedy Baroque	•	•	•	•	•	•	•	•	•	•	•	N/A

N/A - Not Available

* Available coming options: P-Patina, Z-Zinc.

WEISER

HOME **SMART** HOME™

SEE THE COMPLETE LINE OF WEISER LOCKS IN STORE



KEVO
Polished Brass, Satin Nickel
or Venetian Bronze



SMARTCODE 10 TOUCH
Satin Nickel or
Venetian Bronze




OBSIDIAN
Satin Nickel or
Iron Black

Traditional OVOLO #1501



Species

Premium Primed
Douglas Fir
Red Oak (6/8 only)
Maple (6/8 only)
Pine (6/8 only)




Modern QUIRK #8601



Species

Premium Primed
Douglas Fir†



Specification

Thickness: 1-3/8" and 1-3/4"

Heights: 6/8, 7/0*. 7/6 and 8/0

Panel (7/6 and 8/0 Only): 1/4" Flat panel

Door Dimensions (includes ovolo/ quirk bead):

Stiles: 4-1/2"

Mid Rail: 4-5/8"

Top Rail: 4-1/2"

Bottom Rail: 9-1/8"

† Size not shown

*7/0 doors may have larger top and bottom rail.

Note: 7/6 and 8/0 Wood bars will have an extra row of lites instead of a bottom panel

Due to ongoing product development we reserve the right to make changes in design, materials and specifications without notice.




WHERE WE ARE

Moulding & Millwork

458 Keltic Drive
Sydney, Nova Scotia
Canada B1L 1B8

Phone: **902-564-4911**

Fax: **902-270-3771**



Moulding  Millwork

MOULDINGMILLWORK.CA

